

RESTRICTED USE PESTICIDE

DUE TO ACUTE TOXICITY TO HUMANS
FOR RETAIL SALE TO AND USE ONLY
BY CERTIFIED APPLICATORS OR PERSONS
UNDER THEIR DIRECT SUPERVISION, AND
ONLY FOR THOSE USES COVERED BY THE
CERTIFIED APPLICATOR'S CERTIFICATION.

TREE-äge

**Injected insecticide for two year
control of listed arthropod pests
in ash trees (*Fraxinus* spp.)**

Active Ingredient:

Emamectin Benzoate¹ 4.0%

Other Ingredients 96.0%

Total..... 100.0%

¹CAS No. 155569-91-8

Contains 0.36 lbs. emamectin per gallon.

EPA Reg No. 100-1309-74578

EPA Est. 39578-TX-I

**KEEP OUT OF REACH
OF CHILDREN.
WARNING/AVISO**

PRECAUTIONARY STATEMENTS:

Hazards to Humans and Domestic Animals

WARNING/AVISO: Causes substantial but temporary eye injury.

Do not get in eyes or on clothing. Wear protective eyewear.

Harmful if swallowed. Wash thoroughly with soap and water after
handling and before eating, drinking, chewing gum, using tobacco or
using the toilet. Remove and wash contaminated clothing before reuse.

Si usted no entiende la etiqueta, busque a alguien para que se la explique

a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See additional Precautionary Statements in booklet. See Directions For Use in booklet.

Manufactured For: Arborjet, Inc.

99 Blueberry Hill Road, Woburn, MA 01801

Net Contents: 1 Quart, 2 Fluid Ounces (1 Liter)

ARBORJET®
Revolutionary Plant Health Solutions

3/18/10

FIRST AID:

IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

IF SWALLOWED

- Call poison control center or doctor immediately for treatment advice.
- Have person sip glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN

Early signs of intoxication include dilation of pupils, muscular incoordination, and muscular tremors. Vomiting within one-half hour of exposure can minimize toxicity following accidental ingestion of the product; rapidly after exposure (<15 minutes) administer repeatedly medical charcoal in a large quantity of water or ipecac. If toxicity from exposure has progressed to cause severe vomiting, the extent of resultant fluid and electrolyte imbalance should be gauged. Appropriate supportive parenteral fluid replacement therapy should be given, along with other required supportive measures (such as maintenance of blood pressure levels and proper respiratory functionality) as indicated by clinical signs, symptoms, and measurements. In severe cases, observations should continue for at least several days until clinical condition is stable and normal. Since emamectin benzoate is believed to enhance GABA activity in animals, it is probably wise to avoid drugs that enhance GABA activity (barbiturates, benzodiazepines, valproic acid) in patients with potentially toxic emamectin benzoate exposure.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

HOT LINE NUMBER: For 24-Hour Medical Emergency Assistance

CALL 1-800-255-3924

CONTAINER HANDLING:

Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use and disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

STORAGE AND DISPOSAL:

See booklet for Storage and Disposal instructions.

PRODUCT NO. 040-4100



8 11890 01802 6

Booklet

RESTRICTED USE PESTICIDE
DUE TO ACUTE TOXICITY TO HUMANS
FOR RETAIL SALE TO AND USE ONLY
BY CERTIFIED APPLICATORS OR
PERSONS UNDER THEIR DIRECT
SUPERVISION, AND ONLY FOR THOSE
USES COVERED BY THE CERTIFIED
APPLICATOR'S CERTIFICATION.

TREE-äge™

**Injected insecticide for two year control
of listed arthropod pests in ash trees
(Fraxinus spp.)**

Active Ingredient:

Enamectin Benzoate¹.....	4.0%
Other Ingredients	96.0%
Total.....	100.0%

¹CAS No. 155569-91-8

Contains 0.36 lbs. emamectin per gallon.

EPA Reg No. 100-1309-74578

EPA Est. 39578-TX-1

KEEP OUT OF REACH OF CHILDREN.

WARNING/AVISO

*Si usted no entiende la etiqueta, busque a alguien
para que se la explique a usted en detalle.*

*(If you do not understand the label, find someone
to explain it to you in detail.)*

Net Contents: 1 Quart, 2 Fluid Ounces (1 Liter)

FIRST AID

If in eyes: Hold eye open and rinse slowly
and gently with water for 15-20 minutes.
Remove contact lenses, if present after
the first 5 minutes, then continue rinsing
eye. Call a poison control center or
doctor for treatment advice.

If swallowed: Call poison control center or
doctor immediately for treatment advice.
Have person sip glass of water if able to
swallow. Do not induce vomiting unless
told to do so by the poison control
center or doctor. Do not give anything by
mouth to an unconscious person.

NOTE TO PHYSICIAN

Early signs of intoxication include dila-
tion of pupils, muscular incoordination,
and muscular tremors. Vomiting within
one-half hour of exposure can minimize
toxicity following accidental ingestion of
the product; rapidly after exposure (<15
minutes) administer repeatedly medi-
cal charcoal in a large quantity of water
or ipecac. If toxicity from exposure has
progressed to cause severe vomiting, the
extent of resultant fluid and electrolyte

imbalance should be gauged. App-
ropriate supportive parenteral fluid
replacement therapy should be given,
along with other required supportive
measures (such as maintenance of
blood pressure levels and proper re-
spiratory functionality) as indicated by
clinical signs, symptoms, and measure-
ments. In severe cases, observations
should continue for at least several
days until clinical condition is stable and
normal. Since emamectin benzoate is
believed to enhance GABA activity
in animals, it is probably wise to avoid
drugs that enhance GABA activ-
ity (barbiturates, benzodiazepines, val-
proic acid) in patients with potentially
toxic emamectin benzoate exposure.

Have the product container or label
with you when calling a poison control
center or doctor, or going for treatment

HOT LINE NUMBER

For 24-Hour Medical Emergency
Assistance (Human or Animal),
Or Chemical Emergency Assistance
(Spill, Leak, Fire or Accident)
Call 1-800-255-3924

3/18/10

pg 1

pg 2

pg 3

PRECAUTIONARY STATEMENTS:**HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

WARNING/AVISO: Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear protective eyewear. Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

**PERSONAL PROTECTIVE
EQUIPMENT (PPE)**

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves (Category C) such as barrier laminate; butyl rubber ≥14 mils; nitrile rubber ≥14 mils; or neoprene rubber ≥14 mils.
- Shoes and socks
- Protective eyewear

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish, mammals and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater. This product is highly toxic to bees exposed to direct treatment or residues on blooming trees.

**PHYSICAL OR CHEMICAL
HAZARDS**

Do not use or store near heat or open flame.

**CONDITIONS OF SALE AND
LIMITATION OF WARRANTY
AND LIABILITY**

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of ARBORJET, Inc. or Seller.

To the extent permitted by applicable law, Buyer and User agree to hold ARBORJET and Seller harmless for any claims relating to such factors.

ARBORJET warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law: (1) this warranty does not extend to the use of the product contrary to label instructions or under conditions not reasonably foreseeable to or beyond the control of Seller or ARBORJET, and, (2) Buyer and User assume the risk of any such use. TO THE EXTENT PERMITTED BY APPLICABLE LAW, ARBORJET MAKES NO WARRANTIES OF MERCHANTABILITY OR OF

FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.

To the extent permitted by applicable law, in no event shall ARBORJET be liable for any incidental, consequential or special damages resulting from the use or handling of this product.

TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF ARBORJET AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE

PRICE OF THE PRODUCT OR, AT THE ELECTION OF ARBORJET OR SELLER, THE REPLACEMENT OF THE PRODUCT.

ARBORJET and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of ARBORJET.

DIRECTIONS FOR USE RESTRICTED USE PESTICIDE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT: Read entire label before using this product. Failure to follow label instructions may result in poor control or tree injury. Failure to follow label directions may cause injury to people, animals and environment.

APPLICATION TO TREES

TREE-äge is for control of mature and immature arthropod pests of ash trees (*Fraxinus* spp.), including, but not limited to, those growing in residential and commercial landscapes, parks, plantations, seed orchards, and forested sites (in private, municipal, state, tribal and national areas). TREE-äge contains the active ingredient emamectin benzoate and is formulated to translocate in the tree's vascular system when injected.

This product must be placed into active sapwood, and will actively control pests for up to two years.

USE DIRECTIONS

TREE-äge is designed for use with tree injection devices that meet the label and dose requirements (for example, the Arborjet Tree Injection Systems) for the control of listed pests of trees. Follow manufacturer's directions for equipment use.

Dosages are based on the Diameter (in inches) of the tree at Breast Height (DBH"). Tree DBH is the outside bark diameter at breast height. Breast height is defined as 4.5 feet (1.37m) above the ground on the uphill side of the tree. For the purposes of determining breast height, the ground includes the duff layer that may be present, but does not include unincorporated woody debris that may rise above the ground line.

The diameter is determined by measuring the circumference of the tree at DBH", and dividing the circumference (in inches) by three (3). To determine DBH" for multi-stemmed woody ornamentals,

measure the DBH" for each stem or branch and add together for the total DBH" per tree.

Placement of Application/Injection

Sites: Inject at the base of the tree. Inject into the stem within 12" of the soil, into the trunk flare or into tree roots exposing them by shallow excavation. Make applications into intact, healthy sapwood. Do not inject into injured areas or areas with decay. Select injection sites associated with stem growth.

Number of Injection Sites: Work around the tree, spacing injection sites approximately every 6.0 inches of tree's circumference.

Drill Depth: Drill through the bark then 5/8" to 1-5/8" (hardwoods) or 1-5/8" to 2" (conifers) into the sapwood with the appropriate sized drill bit. Use clean, sharp drill bits. Brad point bits are recommended. Precautions should be taken to avoid diseased areas and transferring infected tissues to other injection sites.

WHEN TO TREAT

TREE-äge contains the active ingredient emamectin benzoate which is a glycoside insecticide. It is active against immature and adult stages of arthropods. The primary route of toxicity is through ingestion.

ENVIRONMENTAL CONDITIONS:

Uptake of TREE-äge is dependent upon the tree's transpiration. Transpiration is dependent on a number of abiotic and biotic factors, such as soil moisture, soil and ambient temperature, and time of day. For uptake, apply when soil is moist, soil temperatures are above 45°F, ambient temperatures are between 40° to 90°F, and during the 24 hour period when transpiration is greatest, typically before 2:00 PM. Applications to drought or heat stressed trees may result in injury to tree tissue, poor treatment and subsequent control. Avoid treating trees that are moisture stressed or suffering from herbicide damage.

MONITOR TREE HEALTH and PEST INFESTATIONS: Effective injection treatment is favored by a full canopy (i.e., leaves) and healthy vascular system. Once these tissues are compromised by arthropod damage (larval galleries, defoliation, leaf mining, etc.) an effective and uniform application of TREE-äge may be difficult to achieve and subsequent control may be poor. Optimally, treatment should be made preventively at least 2 to 3 weeks before arthropods historically infest the host tree. As a result of systemic movement and longevity of TREE-äge in trees, this interval may be extended much earlier to 6 months should tree dormancy, adverse weather, management, asynchronous life cycle of pests, etc., allow earlier application timing.

TREE-äge may also be effective as a remedial treatment against some pests, such as those with slower development or if multiple life

stages are susceptible to TREE-äge. Pests that attack the stem and branches such as bark beetles and clearwing borers may disrupt vascular tissue resulting in poor distribution in an infested tree. This includes the initial larval stages of pests, such as bark beetles and clearwing borers, that attack the stem and branches, which may disrupt vascular tissue resulting in poor distribution of the product in an infested tree. However, control may be achieved if larvae come into contact or feed on TREE-äge treated tissues.

USE

Use as formulated or dilute with equivalent 1 to 3 volumes of water or more, as necessary.

USE RATE TABLE					
Tree Diameter (DBH)(Inches)	Low ml. product/tree	Medium ml. product/tree	Medium-High ml. product/tree	High ml. product/tree	Number of Injection Sites
4 to 6	15	25	50	-	3
7 to 9	20	40	80	-	4
10 to 12	30	55	110	165	5
13 to 15	35	70	140	210	6
16 to 18	40	75	150	225	7
19 to 21	50	100	200	300	8
22 to 24	-	115	230	345	10
25 to 27	-	130	260	390	11
28 to 30	-	145	290	435	12
31 to 33	-	160	320	480	13
34 to 36	-	175	350	525	15
37 to 39	-	190	380	570	16
40 to 42	-	205	410	615	17
43 to 45	-	220	440	660	18
46 to 48	-	235	470	705	20
49 to 51	-	250	500	750	21
52 to 54	-	265	530	795	22
55 to 57	-	280	560	840	23
58 to 60	-	295	590	885	25
61 to 63	-	310	620	930	26
64 to 66	-	325	650	975	27
67 to 69	-	340	680	1020	28
70 to 72	-	355	710	1065	30

The use of low, medium and high rates are based on the professional judgement of the applicator as to what constitutes a low, medium or high infestation.

Higher rates tend to provide longer residual and control of more difficult to control insects. See Target Pest for additional information in choosing the amount of product to apply.

Application in Trees			
Tree Tissue	Target Pest	Application Rate ¹	Comments
Bud & Leaf	Bagworm Fall Webworm Gypsy Moth Leafminers (including Lepidoptera, Coleoptera, Hymenoptera)	Low to High	Apply at least 2-3 weeks before the pest has historically been present. Consult with local extension agent for when this will occur in your area.
	Sawfly	Low to High	
	Tent Caterpillars (including Eastern, Forest, Pacific, and Western) Winter Moth	Low to Medium	

¹Use medium to high rates for remedial and longer residual control

(Continued on next page)

(Continued from previous page)

Application in Trees			
Tree Tissue	Target Pest	Application Rate ¹	Comments
Shoot, Stem Trunk and Branch	Buprestid Borers (Flathead borers including Emerald Ash Borer)	Low to High	For control apply at least 30 days before historical egg hatch or adult flight and to trees whose vascular tissue is not damaged.
	Clearwing borers	Low to Medium	
	Longhorn borers (Roundhead borers excluding Asian longhorn beetles) Scolytids (bark beetles)	Medium to High	If vascular tissue is damaged or plugged by insect galleries, nematodes or fungi, uniform treatment and control may not be achieved.

¹Use medium to high rates for
remedial and longer residual control

Compatibility

Do not mix TREEäge before
injection with other products such
as insecticides, fungicides, plant
growth regulators, surfactants,
adjuvants, and fertilizers.

RESTRICTION

Do not apply to trees that may yield
food consumed by humans or used
in animal feed.

STORAGE AND DISPOSAL

Do not contaminate water, food, or
feed by storage and disposal.

Pesticide Storage: Store in a cool,
dry place, away from children and pets.
Keep from freezing.

Pesticide Disposal: Waste resulting
from the use of this product may be
disposed of on site or at an approved
waste disposal facility.

Container Handling: Non-refillable
container. Do not reuse or refill this
container. Offer for recycling if available.
Triple rinse container (or equivalent)
promptly after emptying. Triple rinse as

follows: Empty the remaining contents
into application equipment or mix tank
and drain for 10 seconds after the flow
begins to drip. Fill the container ¼ full
with water and recap. Shake for 10
seconds. Pour rinsate into application
equipment or a mix tank or store
rinsate for later use and disposal. Drain
for 10 seconds after the flow begins
to drip. Repeat this procedure two
more times. Then offer for recycling if
available or puncture and dispose of in
a sanitary landfill, or by incineration, or,
if allowed by state and local authorities,
by burning. If burned, stay out of smoke.

**TREEäge is a registered
trademark of Arborjet, Inc.**

Manufactured for: Arborjet Inc.
99 Blueberry Hill Road
Woburn, MA 01801

ARBORJET®
Revolutionary Plant Health Solutions

Box

1 of 2

RESTRICTED USE PESTICIDE

DUE TO ACUTE TOXICITY TO HUMANS FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION, AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

TREE-äge

**Injected insecticide for two year control of listed
arthropod pests in ash trees (Fraxinus spp.)**

ACTIVE INGREDIENT:

Emamectin Benzoate¹ 4.0%
Other Ingredients 96.0%
Total 100.0%

¹CAS No. 155569-91-8

Net Contents: 8 x 1 Quart, 2 Fluid Ounces (1 Liter) containers
Contains 0.36 lbs. emamectin per gallon.

EPA Reg No. 100-1309-74578
EPA Est. 39578-TX-1

CASE OF 8 ID: 040-4105
1 QUART, 2 FLUID OUNCES (1 LITER) ID: 040-4100

TREEäge® is a registered trademark of Arborjet, Inc.
Manufactured for: Arborjet Inc.
99 Blueberry Hill Road Woburn, MA 01801


RESTRICTED USE PESTICIDE

DUE TO ACUTE TOXICITY TO HUMANS FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION, AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

TREE-äge

**Injected insecticide for two year control of listed
arthropod pests in ash trees (Fraxinus spp.)**

EPA Reg No. 100-1309-74578
EPA Est. 39578-TX-1



1 QUART, 2 FLUID OUNCES
(1 LITER) ID: 040-4100



CASE OF 8 ID: 040-4105

3/18/10

07JH604

MS 37512 0108
254524

KEEP OUT OF REACH OF CHILDREN.
WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See additional precautionary statements and directions for use in booklet.

Manufactured for: Arborjet Inc.
99 Blueberry Hill Road Woburn, MA 01801

2 of 2

RESTRICTED USE PESTICIDE

DUE TO ACUTE TOXICITY TO HUMANS FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION, AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

TREE-äge

Injected insecticide for two year control of listed
arthropod pests in ash trees (*Fraxinus* spp.)

ACTIVE INGREDIENT:

Enamectin Benzoate ¹	4.0%
Other Ingredients	96.0%
Total	100.0%

¹CAS No. 155569-91-8

Net Contents: 8 x 1 Quart, 2 Fluid Ounces (1 Liter) containers
Contains 0.36 lbs. emamectin per gallon.

EPA Reg No. 100-1309-74578
EPA Est. 39578-TX-1

TREEäge® is a registered trademark of Arborjet, Inc.
Manufactured for: Arborjet Inc.
99 Blueberry Hill Road Woburn, MA 01801



RESTRICTED USE PESTICIDE

DUE TO ACUTE TOXICITY TO HUMANS FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION, AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

TREE-äge

Injected insecticide for two year control of listed
arthropod pests in ash trees (*Fraxinus* spp.)

EPA Reg No. 100-1309-74578
EPA Est. 39578-TX-1



1 QUART, 2 FLUID OUNCES
(1 LITER) ID: 040-4100



CASE OF 8 ID: 040-4105